

Net LineDancer v18 Supported Devices and Features

Vendor	Device or OS	Config Backup	Config Restore	Change Advisor	Realtime Backup	Command Runner	Enable/Disable Interface	Login Banner (MOTD)	Manage Name Server	NTP Server	Port VLAN Assignment	SNMP Community Strings	Syslog Trap Hosts	Software Distribution	Manage OS Images	Delete Static Route	Add User Account	Delete User Account	Change Rnable Account	Change VTY Password	Smart Local User Passwd	Smart Change	Compliance
A10 Networks	ACOS	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	
ADTRAN	Netvanta	◆	◆		◆										◆	◆	◆	◆	◆		◆	◆	◆
ALAXALA Networks	AX-S Series	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆
Alcatel-Lucent	OmniSwitch	◆	◆		◆																	◆	
	TIMOS	◆	◆		◆	◆		◆	◆		◆				◆	◆	◆	◆		◆	◆	◆	◆
Allied Telesis	FS900M	◆	◆		◆	◆		◆	◆	◆	◆	◆									◆	◆	◆
	8700SL	◆	◆		◆	◆		◆	◆	◆	◆	◆			◆	◆	◆	◆			◆	◆	◆
	X Series	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆	◆		◆	◆	◆
Allied Telesyn	Rapier	◆			◆																	◆	◆
ALTEON	AD3	◆	◆		◆																	◆	
ANRITSU	PureFlow	◆	◆		◆			◆		◆	◆	◆		◆					◆		◆	◆	◆
APC	smartUPS	◆	◆		◆																	◆	
APRESIA Systems (was Hitachi Metal)	Apresia	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆		◆	◆	◆	◆				◆	◆	◆
	ApresiaLight	◆			◆	◆	◆		◆	◆	◆	◆					◆	◆			◆	◆	
Arista Networks	EOS	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆		◆	◆	◆
Aruba Networks	ArubaOS	◆	◆		◆																	◆	
BlueCoat	ProxySG	◆			◆																	◆	
Brocade	Fabric OS	◆			◆																	◆	
	Network OS	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆		◆	◆	◆	◆
Cabletron	Switch	◆																					
CENTURY SYSTEMS	NXR	◆			◆	◆	◆		◆	◆		◆	◆		◆	◆		◆				◆	◆
Check Point	SecurePlatform	◆			◆																	◆	
	VPN1 Edge Firewalls	◆	◆		◆																	◆	
Cisco Systems	ACNS Platforms	◆	◆		◆																	◆	◆
	Wireless LAN Controller	◆			◆																	◆	
	ArrowPoint	◆	◆		◆																	◆	◆
	CatOS	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	
	CS500	◆	◆		◆																	◆	
	GSS Appliances	◆	◆		◆																	◆	◆

Note: The definition of "Adapter Support" does not constitute a guarantee of compatibility, but rather reflects LogicVein's commitment to correct compatibility issues with devices running supported operating systems in a timely manner.

Net LineDancer v18 Supported Devices and Features

Vendor	Device or OS	Config Backup	Config Restore	Change Advisor	Realtime Backup	Command Runner	Enable/Disable Interface	Login Banner (MOTD)	Manage Name Server	NTP Server	Port VLAN Assignment	SNMP Community Strings	Syslog Hosts	Software Distribution	Manage OS Images	Delete Static Route	Add Static Route	Delete User Account	Change Rnable Account	Change Rnable Password	Change VTY Password	Smart Local User Passwd	Compliance		
Cisco Systems	IOS	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
	IOS XE (IOS Adapter)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
	IOS XR (IOS Adapter)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
	Linksys	◆			◆																	◆			
	LocalDirector	◆	◆		◆							◆											◆		
	MDS Series SAN-OS	◆			◆																		◆		
	Nexus	◆			◆																		◆		
	Security Appliances	◆	◆	◆	◆		◆		◆	◆	◆	◆			◆	◆	◆	◆	◆	◆	◆	◆	◆		
	Service Control Engine	◆			◆	◆		◆	◆	◆		◆	◆	◆		◆	◆	◆	◆			◆	◆	◆	
	Small Business Switch	◆			◆																		◆	◆	
	3000 Series	◆	◆		◆																		◆	◆	
	VxWorks	◆	◆		◆																			◆	
	WAAS Platforms	◆	◆		◆																			◆	◆
	WLSE	◆			◆																			◆	
ACSW	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆		
Citrix	NetScaler	◆			◆																		◆		
D-Link	DGS Series	◆	◆		◆	◆	◆		◆		◆	◆	◆		◆	◆	◆	◆			◆	◆	◆		
Dell	PowerConnect	◆	◆		◆																		◆	◆	
Enterasys	Matrix	◆			◆																		◆		
	SecureStack Switches	◆			◆																		◆		
	SSR	◆	◆		◆																		◆		
	VerticalHorizon	◆	◆		◆																		◆		
Extreme	Convergence	◆			◆																		◆		
	Switch	◆	◆				◆	◆			◆	◆	◆												
	XOS	◆			◆		◆	◆				◆											◆		
F5 Networks	BIG-IP	◆			◆	◆		◆	◆	◆	◆	◆			◆	◆	◆	◆			◆	◆	◆		
	threedns	◆			◆																		◆		
Fortinet	FortiGate	◆	◆		◆	◆	◆		◆	◆	◆	◆		◆	◆	◆	◆				◆	◆			
Foundry	EdgIron	◆			◆	◆																	◆	◆	

Note: The definition of "Adapter Support" does not constitute a guarantee of compatibility, but rather reflects LogicVein's commitment to correct compatibility issues with devices running supported operating systems in a timely manner.

Net LineDancer v18 Supported Devices and Features

Vendor	Device or OS	Config Backup	Config Restore	Change Advisor	Realtime Backup	Command Runner	Enable/Disable Interface	Login Banner (MOTD)	Manage Name Server	NTP Server	Port VLAN Assignment	SNMP Assignment	SNMP Community Strings	Syslog Hosts	Software Distribution	Manage OS Images	Add Static Route	Delete Static Route	Add User Account	Delete User Account	Change Rnable Account	Change Rnable Password	Change VTY Password	Smart Change	Compliance
Foundry	FastIron	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fujitsu	CFabric	◆	◆		◆	◆	◆		◆		◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
	IPCOM	◆	◆	◆		◆		◆	◆		◆				◆	◆						◆	◆	◆	
	SR-S Series/Si-R Series	◆	◆	◆		◆		◆	◆		◆				◆	◆						◆	◆	◆	◆
Furukawa Electric	FX Series	◆				◆																	◆		
H3C	switch	◆	◆	◆	◆	◆	◆				◆	◆			◆	◆				◆	◆		◆		
HP	ProCurve	◆	◆		◆	◆														◆	◆	◆	◆	◆	
	ProCurve M	◆	◆			◆																	◆		
HUAWEI	VRP Software	◆				◆																	◆		
Juniper Networks	DX	◆				◆																	◆		
	Junos	◆	◆		◆	◆	◆	◆	◆	◆		◆	◆		◆	◆	◆	◆	◆	◆		◆	◆		
	Wireless LAN Controller	◆				◆																	◆		
	ScreenOS	◆	◆		◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆		
KEMP	LoadMaster	◆	◆				◆	◆	◆		◆		◆		◆		◆	◆							
MikroTik	RouterOS	◆			◆	◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆			◆	◆	◆		
Mitsubishi Cable	ST	◆	◆			◆	◆		◆	◆	◆	◆					◆	◆					◆		
NEC	IX Series	◆	◆	◆		◆	◆		◆	◆		◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆	
	PF Series	◆				◆																	◆		
	WA Series	◆	◆	◆		◆	◆		◆	◆		◆	◆	◆	◆	◆	◆	◆	◆				◆		
Nortel	Accelar	◆	◆			◆																	◆		
	BayRS	◆	◆			◆																	◆		
	BayStack	◆	◆			◆																	◆		
	Contivity	◆				◆																	◆		
	Passport	◆	◆			◆																	◆		
	Passport-1600	◆	◆			◆																	◆		
	Tiara	◆	◆			◆		◆															◆		
Palo Alto Networks	PA-500 Series	◆	◆			◆		◆	◆	◆	◆	◆					◆	◆				◆	◆		
Panasonic	Switch eG Series	◆	◆			◆	◆		◆	◆	◆	◆	◆									◆	◆	◆	

Note: The definition of "Adapter Support" does not constitute a guarantee of compatibility, but rather reflects LogicVein's commitment to correct compatibility issues with devices running supported operating systems in a timely manner.

Net LineDancer v18 Supported Devices and Features

Vendor	Device or OS	Config Backup	Config Restore	Change Advisor	Realtime Backup	Command Runner	Enable/Disable Interface	Login Banner (MOTD)	Manage Name Server	NTP Server	Port VLAN Assignment	SNMP Assignment	SNMP Community Strings	Syslog Hosts	Software Distribution	Manage OS Images	Add Static Route	Delete Static Route	Add User Account	Delete User Account	Change Rnable Account	Change Rnable Password	Change VTY Password	Smart Change	Compliance
Pica8	PicOS	◆			◆	◆	◆		◆	◆	◆	◆	◆			◆	◆	◆	◆			◆	◆	◆	
Redhat	Linux/CentOS	◆				◆																	◆		
Riverbed	Steelhead	◆	◆		◆	◆		◆	◆		◆	◆	◆			◆	◆	◆	◆			◆	◆	◆	
Ruckus	ZoneDirector	◆	◆			◆		◆	◆		◆	◆	◆			◆	◆	◆	◆			◆	◆		
SonicWALL	SonicOS	◆	◆			◆							◆										◆		
Vyatta	OFR	◆				◆																	◆		
YAMAHA	RT/RTX	◆			◆	◆		◆	◆		◆	◆	◆	◆		◆	◆	◆	◆				◆		

Note: The definition of "Adapter Support" does not constitute a guarantee of compatibility, but rather reflects LogicVein's commitment to correct compatibility issues with devices running supported operating systems in a timely manner.